

SWAN 57

PRICELIST OF OPTIONAL EQUIPMENT FOR:

NAUTOR'S S W A N 57

January 1st, 1979

N A U T O R
Oy Wilh. Schauman Ab

PIETARSAARI, FINLAND
TELEPHONE: 67/18204, TELEX 75-47 nauto sf

This pricelist is in effect from the date above mentioned.

The prices are subject to changes without prior notice. The prices quoted include all handling and installation costs where not otherwise stated. The installation of other items is charged on a time and material basis. NAUTOR reserves the right to refuse the installation of accessories not purchased from NAUTOR. Warranty applies only to items for which separate manufacturer's guarantee is supplied. NAUTOR reserves the right to charge for the delivery costs beyond our control, e.g. air freight charges owing to harbour strike or rush delivery.

SECTION 1 HULL

1-57-000	Coloured hull (white standard)	4.700
1-57-001	Keel pockets (2 x 400 kg) filled with lead	4.680

SECTION 2 DECK

2-57-000	Teak deck (incl. cockpit and bridge deck)	71.880
2-57-001	Teak in cockpit and on bridge deck	11.670
2-57-005	Teak on coaming and trunk fwd of main sheet track	12.740
2-57-051	Cockpit coaming stowage lockers	1.060
2-57-222B	X-link for coaming sheet winches	15.920
2-57-222C	- connected on coaming fore & aft/pair	12.860
2-57-232	- cross-linked with Lewmar 3860 pedestal on center line	29.610
2-57-225	Genoa sheet winches 2 x Lewmar 65 S self-tailing (instead of 2 x Lewmar 65 CP)	4.900
2-57-226	Main sheet winch 1 x Lewmar 44 S self-tailing (instead of 1 x Lewmar 44 CP)	1.645
2-57-227	Stainless headsail sheet tracks	1.112
Extra winches on coachroof stn 6		
2-57-204B	Lewmar 44 CP (per pair)	4.220
2-57-205	Lewmar 48 CP (per pair)	5.540
2-57-206	Lewmar 55 CP (per pair)	7.790
2-57-207	Lewmar 65 CP (per pair)	10.500

2-57-042	Gate in pushpit	1.220
2-57-043	Gangway fitting	410
2-57-044	Gate in lifeline (each)	1.400
2-57-106	Mast pulpit forward of mast	1.200
2-57-003A	Deck hatch to anchor stowage (not available with Lofrans windlass)	6.270
2-57-102	Openable deck ports for forward toilet and passage (instead of deck prism)	4.500

SECTION 3 INTERIOR

3-57-000	2" thick mattresses for pipe berths	920
3-57-001	Curtains for side windows	770
3-57-038	Drawers under port lower berth instead of sail space (Alt. III)	500
3-57-021	Teak cover for mizzen mast	3.900
3-57-022	Book shelves in saloon instead of port upper berth	3.460

QUOTATION UPON REQUEST

Interior alternatives

- Alt. I Shower + sail bin port side
- Alt. II Additional forward toilet port side
- Alt. III Second guest cabin port side (ex toilet)

SECTION 4 ENGINE

4-57-016	Fixed 2-blade propeller 25"	3.450
----------	-----------------------------	-------

SECTION 5 PLUMBING, HEATING etc.

5-57-011	Alcohol stove Kenyon 601 (instead of standard)	1.500
----------	--	-------

5-57-012	Electric stove Princess (instead of standard)	8.340
5-57-016	Webasto cabin heater 6500 kcal	13.270
5-57-026	Electric bilge pump PAR 4600 K (automatic action)	3.050
5-57-031	Shower in cockpit	1.790
5-57-032	Thermostatic control for owner's shower	1.330
5-57-035	Deck wash (not on stock boats)	4.540
5-57-045	Electric sump tank pump each	2.330
5-57-050	Stainless steel holding tank with hand pump each	6.260
5-57-052	Suction pipe for holding tank	580
5-57-055	Electric holding tank pump	3.110
5-57-075	Fresh water tank gauges	3.270
5-57-066	Sea water spout with foot pump in head	660
5-57-065	Drinking water purifier	910

SECTION 6 ELECTRIC EQUIPMENT

6-57-002	Shore power 220/110 V 25 A 50 Hz	14.250
- " -	Shore power 220/110 V 25 A 60 Hz	14.250
6-57-003	Shore power 220 V 25 A 50 Hz	8.090
- " -	Shore power 220 V 25 A 60 Hz	8.090
6-57-008	Battery charger 220/24 V 60 A	7.240
6-57-010	24 V outlet in cockpit or in cabin	400
6-57-015	Spreader deck lights on main mast	1.130
6-57	Spreader deck lights on mizzen mast	1.130
6-57-016	Flood light on main mast directed upwards	710
6-57-017	Anchor light with cable and plug	470
6-57-018	Windex light	240
6-57-020	Red over green navigation lights on mast (2 pairs)	2.147
6-57-035	Electric foghorn, manual	1.510
6-57-036	Electric foghorn, automatic	2.420
6-57-038	Battery parallel switch	750
6-57-039	Dimmer rheostat for dome lights in saloon	1.400
6-57-040	Dimmer rheostat for dome lights in aft cabin	1.400
6-57-041	Indirect lights in saloon with dimmer rheostat	1.573

QUOTATION UPON REQUEST:

6 kVA alternator hydraulically driven off main engine.

Diesel generator G & M Power Plant 7 MDL-53 CR

SECTION 7 INSTRUMENTATION

Navigation instrumentation:

Brookes & Gatehouse:

Hengist/Horsa

7-57-000	Wind instrument pack A4	7.960
7-57	Wind instrument pack D3, digital	6.710
7-57-002	Extra repeater close hauled	1.400
7-57-003	Extra repeater 0...60 knots	1.250

Horatio

7-57-005	Performance computer (pack 1) + Hengist/Horsa (pack 4)	11.170
7-57-006	Extra repeater (performance indicator)	1.220

Harrier

7-57-007	Log and speedometer 0...15 knots (pack 5) incl. amplified speed	5.860
7-57-010	Resettable log repeater for pack 5	720

7-57-013	Log and speedometer 0...15 knots (pack 4)	4.170
7-57-016	Resettable log repeater for pack 4	920
7-57-008	Extra underwater unit + gravity switch	1.458
7-57-009	Extra water speed repeater in cockpit	1.230
7-57-014	Extra repeater amplified speed	1.230
7-57-015	Hermit digital speed meter	2.120
7-57-017	Hermit digital speed meter replacing analog meters on Harrier pack 5	1.000
Hecta		
7-57-023	Echo sounder (pack 4) M200RS	7.020
Hadrian		
7-57-024	Dead reckoning computer and steering indicator	8.680
7-57-025	Extra remote steering indicator	1.510
	Signet 4000	15.100
	Signet 4000 with two repeater units	19.670
Radio DF equipment:		
Sailor		
7-57-032	Marine receiver R108 (incl. loudspeaker)	3.660
7-57-033	Radio DF compass 171 BK	2.140
7-57-034	Headphones for above	280
Brookes & Gatehouse:		
7-57-031	Homer/Heron marine receiver incl. DF compass, loudspeaker and headphones	4.730
7-57-042	Homer Digitune	2.310
VHF equipment:		
Sailor:		
7-57-043	VHF radio telephone RT143 55 ch 25 W Duplex	10.580
7-57-044	VHF radio telephone RT144 60 ch 25 W Simplex/ Semi Duplex with Dual watch	6.560
Dancom		
7-57-046A	VHF radio telephone RT408 99 ch 25 W Simplex/ Semi Duplex with Dual watch and prepared for selective call	7.400
Aerials:		
7-57-047	Antenna coupler	7.980
7-57-057	Insulated fresh water stay (receiver aerial, ketch rig)	1.110
7-57-059	Insulated mizzen top shroud (transmitter aerial, ketch rig)	630
7-57-061	Insulated lower shroud (transmitter aerial, sloop rig)	2.130
7-57-048	Insulated backstay (receiver aerial, sloop rig)	970
7-57-049	Whip antenna 4.8 m (receiver aerial)	960
7-57-058	Whip antenna 7 m (receiver and/or transmitter aerial)	1.430
7-57-050	VHF antenna and cable to masthead	1.100
Miscellaneous:		
7-57-051	Philips radio/cassette player incl. two loudspeakers in saloon	2.910

	switch	950
7-57-055	Extra loudspeakers with change-over switch	840
7-57-089	Danforth coaming compasses C550X with rheostat	2.940
7-57-080	Windex on top of main mast	360
7-57-081	Clinometer	180
7-57-083	Gas detector	800
7-57-093	Autopilot Neco 17.5 rpm 24 V	16.690
7-57-094	Neco remote control	1.270
7-57-076	Neco wind vane	3.760

QUOTATION UPON REQUEST

Baron

Sailboat Console
 Royale wind system
 Royale waterspeed & log system 0...15 knots
 Royale waterspeed amplifier/efficiency system
 Royale depth system 0...30 metres/feet/fathoms

Sailor SSB

SSB transmitter T122, 400W, 31 ch, 1.6...4.2 MHz
 SSB marine receiver R105 (incl. loudspeaker) 23 ch
 SSB chrystals (radio frequencies have to be specified)
 SSB transmitter T124 140W, 31 ch, 1.6...8 MHz
 SSB marine reciever R110 (incl. loudspeaker) 35 ch, 1.6...9 MHz
 SSB transmitter T126, 400W, 31 ch, 1.6...4.2 MHz
 SSB transmitter T128, 220W, 31 ch, 1.6...4.2 MHz
 SSB HF transmitter/receiver/exciter T1127/R1117/S1300 400...1000 W, 240 ch, synthesized, 1.6...25 MHz
 Final tuning of SSB radios (has to be done when boat is launched and rigged.)

Dancom SSB

SSB radio telephone (transmitter + receiver) RT101
 200W, 30 ch, 1.6...4.2 MHz
 SSB radio telephone RT102, 400W, 30 ch, 1.6...4.2 MHz
 SSB radio telephone HF400, 400W, synthesized, 1.6...25 MHz

Radar Decca 060

Omega navigation receiver 1107A with automatic synchronization and one frequency
 Omega navigation receiver 1107AD with automatic synchronization and two frequencies (10.2 and 13.6 KHz)
 Omega navigation receiver 1157 automatic with display in lat. and long.

Satellite Navigator: Magnavox

Intercom

SECTION 8 RIGGING

8-57-242	Ketch rig with mizzen mast including winches L16 for mizzen halyard, L25 for sheet and L25 for staysail	56.970
	Hydraulic backstay tensioner Krueger:	
8-57-102	Sloop 3/4"	4.600
8-57-101	Ketch 2 x 5/8" for divided backstay	8.600
8-57-005	Shroudrollers (per pair)	350
8-57-015	Slabreefing on mizzen (incl. deck eye)	4.130
8-57-030	Spinnaker net	500
8-57-035	Rod headstay or backstay, Navtec	2.080

SECTION 9 EQUIPMENT & MISCELLANEOUS

Safety equipment:

9-57-000	Horse shoe lifebuoys and lights mounted on pushpit	995
9-57-005	Liferaft (Beaufort) 6 pers. soft pack	5.450
9-57-006	Liferaft (Beaufort) 8 pers. soft pack	6.050
9-57-010	Safety harness (each)	190
9-57-011	Hard weather safety line per pair	650
9-57-015	ORC safety kit	2.910

Fire extinguishers:

	Effective for A, B, and C class fires:	
9-57-030	Powder 4 lbs	290
	For B and C class fires:	
9-57-031	Freon 1301 3 lbs portable	480
9-57-095	Freon 1301 3 lbs automatic action for engine room	280
9-57-096	Freon 1301 3 lbs remote control for engine space	790

Anchoring & mooring equipment:

9-57-033	Anchor capstan windlass Lofrans Albatros 1500	9.020
9-57-034	Anchor windlass Lofrans Falkon 1500 24V	8.940
9-57-035	Foot switch for windlass	550
9-57-040	Chain pipe	790
9-57-041	Chain pipe and box	2.570
9-57-040	Danforth 35H	1.129
9-57-048	Danforth 90H	1.610
9-57-052	Plough anchor VQR 60 lbs	1.270
9-57-071	Chain galvanized shortlink 1/2" (per m)	40
9-57-075	Fenders 22 x 85 cm (each)	80
9-57-076	Mooring line ϕ 20 mm (per m)	7
9-57-077	Stainless anchor chain roller	560
9-57-078	Clamp for CQR anchor on stemhead	570

Miscellaneous:

9-57-083	Helmsman's cushion and backrest	750
9-57-084	Complete cockpit upholstery	880
9-57-085	Elkhide on steering wheel	550
9-57-086	Binocular box (Canpa)	90
9-57-087	Mosquito screens with Velcro fastenings	660
9-57-133	Small sprayhood over entrance hatch	1.250
9-57	Sprayhood for aft entrance	1.310
9-57-134	Large sprayhood over fwd end of bridgedeck	2.350
9-57-091	Tarpaulin, small	2.850
9-57-092	Export cradle (steel)	8.900
9-57-093	Launching and rigging in Pietarsaari	20.830

9-57-100	IOR rating certificate	1.010
9-57-110	Winch handles 8" lock-in	130
9-57-111	Winch handles 10" lock-in	160
9-57-112	Winch handles 10" double grip	200
9-57-113	Winch handles 10" ratchet	290
9-57-120	Half model (one included in standard price)	400
9-57-130	Fold-up transom ladder (stainless)	2.300
9-57-105	Compass deviation card	440