

These prices apply only to boats  
delivered between 1 January -  
15 July 1981.  
For boats contracted for delivery  
15 July - 31 December 1981, please  
add 5 %.

# SWAN 57

PRICE-LIST OF OPTIONAL EQUIPMENT FOR:

NAUTOR'S S W A N 57

October, 1980

N A U T O R  
Oy Wilh. Schauman Ab

PIETARSAARI, FINLAND  
TELEPHONE: 67/18204, TELEX 75-47 nauto sf

This price-list is in effect from the date above mentioned.

The prices are subject to changes without prior notice. The prices quoted include all handling and installation costs where not otherwise stated. The installation of other items is charged on a time and material basis. NAUTOR reserves the right to refuse the installation of accessories not purchased from NAUTOR. Warranty applies only to items for which separate manufacturer's guarantee is supplied. NAUTOR reserves the right to charge for the delivery costs beyond our control, e.g. air freight charges owing to harbour strike or rush delivery.

All prices in Finn marks (FIM). *Alloy 8.1 Fim To P*

*Approx 8 Fin To !*

SECTION 1 HULL

FIM

|          |  |       |
|----------|--|-------|
| 1-57-000 | Coloured hull (white standard)             | 5,380 |
| 1-57-001 | Keel pockets (2 x 400 kg) filled with lead | 6,040 |

SECTION 2 DECK

|                                  |   |        |
|----------------------------------|---|--------|
| 2-57-000                         | Teak deck (incl. cockpit and bridge deck)   | 82,270 |
| 2-57-001                         | Teak in cockpit and on bridge deck  | 13,400 |
| 2-57-005                         | Teak on coaming and trunk fwd of main sheet track                                 | 14,970 |
| 2-57-051                         | Cockpit coaming stowage lockers   | 1,250  |
| 2-57-225                         | Genoa sheet winches 2 x Lewmar 65 S self-tailing<br>(instead of 2 x Lewmar 65 CP) | 6,980  |
| 2-57-226                         | Main sheet winch 1 x Lewmar 44 S selftailing<br>(instead of 1 x lewmar 44 CP)     | 2,170  |
| 2-57-227                         | Stainless headsail sheet tracks   | 1,450  |
| Extra winches on coachroof stn 6 |   |        |
| 2-57-204                         | Lewmar 44 CP (per pair)   | 5,330  |
| 2-57-205                         | Lewmar 48 CP (per pair)   | 7,230  |
| 2-57-206                         | Lewmar 55 CP (per pair)   | 10,340 |
| 2-57-207                         | Lewmar 65 CP (per pair)   | 13,650 |
| 2-57-042                         | Gate in pushpit   | 1,610  |
| 2-57-043                         | Gangway fitting   | 470    |
| 2-57-044                         | Gate in lifeline (each)   | 1,780  |
| 2-57-003                         | Deck hatch to anchor stowage (not available with<br>Lofrans windlass)             | 7,450  |
| 2-57-102                         | Openable deck port for forward toilet   | 2,570  |
| 2-57-081                         | Clinometer  | 210    |

SECTION 3 INTERIOR

|          |   |        |
|----------|---|--------|
| 3-57-000 | 2" thick mattresses for pipe berths   | 1,140  |
| 3-57-001 | Curtains for side windows   | 980    |
| 3-57-038 | Drawers under port lower berth instead of sail space<br>(Alt. III)          | 970    |
| 3-57-021 | Teak cover for mizzan mast  | 4,460  |
| 3-57-022 | Book shelves in saloon instead of port upper berth<br>Interior alternatives | 3,960  |
| 3-57-035 | Alt. I Shower + sail bin port side  | 19,100 |
| 3-57-036 | Alt. II Additional forward toilet port side                                 | 25,300 |
| 3-57-037 | Alt. III Second guest cabin port side (ex toilet)                           | 14,800 |

SECTION 4 ENGINE

|          |                             |       |
|----------|-----------------------------|-------|
| 4-57-016 | Fixed 2-blade propeller 25" | 4,900 |
| 4-57-017 | Fixed 3-blade propeller 24" | 5,660 |

## SECTION 5 PLUMBING &amp; HEATING etc.

|          |   |        |
|----------|---|--------|
| 5-57-012 | Electric stove Princess (instead of standard)     | 2,350  |
| 5-57-016 | Webasto cabin heater 6500 kcal                    | 18,670 |
| 5-57-026 | Electric bilge pump PAR 4600 K (automatic action) | 3,500  |
| 5-57-031 | Shower in cockpit                                 | 2,050  |
| 5-57-032 | Thermostatic control for owner's shower           | 1,520  |
| 5-57-035 | Deck wash   | 5,200  |
| 5-57-045 | Electric sump tank pump each                      | 3,290  |
| 5-57-050 | Stainless steel holding tank with hand pump each  | 7,160  |
| 5-57-052 | Suction pipe for holding tank                     | 690    |
| 5-57-055 | Electric holding tank pump                        | 3,670  |
| 5-57-075 | Fresh water tank gauges                           | 3,740  |
| 5-57-066 | Sea water spout with foot pump in head            | 760    |
| 5-57-065 | Drinking water purifier                           | 1,240  |

## SECTION 6 ELECTRIC EQUIPMENT

|          |  |        |
|----------|--|--------|
| 6-57-002 | Shore 220/110V 25A 50 Hz                           | 16,310 |
| "        | Shore 220/110V 25A 60 Hz                           | 16,310 |
| 6-57-003 | Shore power 220V 25A 50 Hz                         | 10,400 |
| "        | Shore power 220V 25A 60 Hz                         | 10,400 |
| 6-57-008 | Battery charger 220/24V 60A                        | 8,870  |
| 6-57-010 | 24V outlet in cockpit                              | 460    |
| 6-57-011 | 24V outlet in cabin                                | 460    |
| 6-57-015 | Spreader deck lights on main mast                  | 1,290  |
| 6-57-014 | Spreader deck lights on mizzen mast                | 1,290  |
| 6-57-016 | Flood light on main mast directed upwards          | 810    |
| 6-57-017 | Anchor light with cable and plug                   | 540    |
| 6-57-018 | Windex light                                       | 310    |
| 6-57-020 | Red over green navigation lights on mast (2 pairs) | 2,890  |
| 6-57-035 | Electric foghorn, manual                           | 2,900  |
| 6-57-035 | Electric foghorn, automatic                        | 4,470  |
| 6-57-038 | Battery parallel switch                            | 860    |
| 6-57-039 | Dimmer rheostat for dome lights in saloon          | 1,610  |
| 6-57-040 | Dimmer rheostat for dome lights in aft cabin       | 1,610  |
| 6-57-041 | Indirect lights in saloon with dimmer rheostat     | 1,800  |
| 6-57-031 | Diesel generator G & M Power Plant 7 MDL-53 CR     |        |

## SECTION 7 INSTRUMENTATION

## Navigation instrumentation:

## Brookes &amp; Gatehouse:

|          |   |        |
|----------|---|--------|
| 7-57-018 | Hercules System 190 Basic Pack (incl. 1 MFD, computer unit, masthead unit + junction box, underwater unit + gravity switch) | 11,620 |
| 7-57-019 | 360° analogue meter for Hercules, each  | 2,040  |
| 7-57-020 | Extra MFD for Hercules, each  | 2,110  |
| 7-57-021 | Master keyboard for Hercules, each  | 1,210  |
| 7-57-022 | Extra underwater unit + gravity switch for Hercules   | 1,570  |

## Hengist/Horsa

|          |   |        |
|----------|---|--------|
| 7-57-000 | Wind instrument pack C4                 | 10,690 |
| 7-57-004 | Wind instrument pack D3, digital        | 9,540  |
| 7-57-002 | Extra repeater magnified wind direction | 1,610  |
| 7-57-003 | Extra repeater wind speed 0 - 60 knots  | 1,690  |

|          |   |        |
|----------|---|--------|
|          | Harrier   |        |
| 7-57-007 | Log and speedometer 0 - 15 knots (pack 5) incl. amplified speed   | 8,310  |
| 7-57-013 | Log and speedometer 0 - 15 knots (pack 4)   | 5,890  |
| 7-57-008 | Extra underwater unit + gravity switch  | 1,850  |
| 7-57-009 | Extra water speed repeater in cockpit   | 1,650  |
| 7-57-015 | Harrier 182 digital speed meter   | 3,470  |
| 7-57-017 | Harrier 182 digital speed meter replacing analog meter on Harrier pack 4 or 5                           | 2,980  |
|          | Hecta   |        |
| 7-57-026 | Echo sounder M 200 DS   | 9,400  |
|          | Radio DF equipment:   |        |
|          | Sailor  |        |
| 7-57-032 | Marine receiver R108 (incl. loudspeaker)  | 4,190  |
| 7-57-033 | Radio DF compass 171 BK   | 2,510  |
| 7-57-034 | Headphones for 7-57-033   | 390    |
|          | Brookes & Gatehouse   |        |
| 7-57-031 | Homer /Heron marine receiver incl. DF compass, loudspeaker and headphones                               | 7,230  |
| 7-57-042 | Homer Digitune  | 3,470  |
|          | VHF equipment:  |        |
|          | Sailor:   |        |
| 7-57-043 | VHF radio telephone RT143 55 ch 25W Duplex  | 12,110 |
| 7-57-044 | VHF radio telephone RT144 60 ch 25W Simplex/Semi Duplex with Dual Watch                                 | 7,620  |
|          | Dancom  |        |
| 7-57-046 | VHF radio telephone RT408 99 ch 25W Simplex/Semi Duplex with Dual watch and prepared for selective call | 8,880  |
|          | Aerials:  |        |
| 7-57-057 | Insulated fresh water stay (receiver aerial, ketch rig)   | 2,600  |
| 7-57-059 | Insulated mizzen top shroud (transmitter aerial, ketch rig)   | 1,810  |
| 7-57-061 | Insulated lower shroud (transmitter aerial, sloop rig)  | 3,120  |
| 7-57-048 | Insulated backstay (receiver aerial, sloop rig)   | 3,110  |
| 7-57-049 | Whip antenna 4.8 m (receiver aerial)  | 1,100  |
| 7-57-058 | Whip antenna 7 m (receiver and/or transmitter aerial)   | 1,640  |
| 7-57-050 | VHF antenna and cable to masthead   | 1,280  |
|          | Miscellaneous:  |        |
| 7-57-051 | Philips radio/cassette player incl. two loudspeakers in saloon  | 3,330  |

|          |   |        |
|----------|---|--------|
| 7-57-056 | Loudspeakers in cockpit with change-over switch | 1,090  |
| 7-57-055 | Extra loudspeakers with change-over switch      | 970    |
| 7-57-089 | Suunto F 110 coaming compasses with rheostat    | 3,360  |
| 7-57-083 | Gas detector                                    | 1,490  |
| 7-57-093 | Autopilot Neco 17.5 rpm 24V                     | 18,310 |
| 7-57-094 | Neco remote control                             | 1,530  |
| 7-57-076 | Neco wind vane                                  | 5,170  |
| 7-57-101 | Radar Decca 060                                 | 27,710 |
| 7-57-102 | Radar Decca 090                                 | 32,270 |

QUOTATION UPON REQUEST

Sailor SSB

SSB marine receiver R105 (incl. loudspeaker) 23 ch  
 SSB chrystals (radio frequencies have to be specified)  
 SSB transmitter T124, 140W, 31 ch, 1.6...8 MHz  
 SSB marine receiver R110 (incl. loudspeaker) 35 ch, 1.6...9 MHz  
 SSB transmitter T126, 400W, 31 ch, 1.6...4.2 MHz  
 SSB transmitter T128, 220W, 31 ch, 1.6...4.2 MHz  
 Antenna coupler N 198  
 Final tuning of SSB radios (has to be done when boat is launched and rigged.)

Dancom SSB

SSB radio telephone (transmitter + receiver) RT101 200W, 30 ch, 1.6...4.2 MHz  
 SSB radio telephone RT102, 400W, 30 ch, 1.6...4.2 MHz  
 SSB radio telephone HF400, 400W, synthesized, 1.6...25 MHz

Satellite Navigator

Intercom

SECTION 8 RIGGING

|          |  |                       |
|----------|--|-----------------------|
|          | Hydraulic backstay tensioner Krueger:  |                       |
| 8-57-102 | Sloop 3/4"                             | 5,670                 |
| 8-57-101 | Ketch 2 x 5/8" for divided backstay    | 11,650                |
| 8-57-005 | Shroudrollers (per pair)               | 600                   |
| 8-57-015 | Slabreefing on mizzen (incl. deck eye) | 2020 <del>81450</del> |
| 8-57-030 | Spinnaker net                          | 580                   |
| 8-57-035 | Rod headstay or backstay, Navtec       | 2,990                 |
| 8-57-080 | Windex on top of main mast             | 410                   |

## SECTION 9 EQUIPMENT &amp; MISCELLANEOUS

## Safety equipment:

|          |  |       |
|----------|--|-------|
| 9-57-000 | Horse shoe lifebuoys and lights mounted on pushpit | 1,960 |
| 9-57-005 | Liferaft (Beaufort) 6 pers. soft pack              | 6,550 |
| 9-57-006 | Liferaft (Beaufort) 8 pers. soft pack              | 7,200 |
| 9-57-010 | Safety harness (each)                              | 220   |
| 9-57-011 | Hard weather safety line per pair                  | 750   |
| 9-57-015 | ORC safety kit                                     | 4,400 |

## Fire extinguishers:

## Effective for A, B and C class fires:

|          |   |     |
|----------|---|-----|
| 9-57-030 | Powder 4 lbs                                      | 340 |
|          | For B and C class fires:                          |     |
| 9-57-031 | Freon 1301 3 lbs portable                         | 670 |
| 9-57-095 | Freon 1301 3 lbs automatic action for engine room | 990 |
| 9-57-096 | Freon 1301 3 lbs remote control for engine space  | 990 |

## Anchoring &amp; mooring equipment:

|          |   |        |
|----------|---|--------|
| 9-57-033 | Anchor capstan windlass Lofrans Albatros 1500 | 11,680 |
| 9-57-034 | Anchor windlass Lofrans Falkon 1500 24V       | 10,650 |
| 9-57-035 | Foot switch for windlass                      | 690    |
| 9-57-040 | Chain pipe                                    | 1,000  |
| 9-57-041 | Chain pipe and box                            | 2,940  |
| 9-57-047 | Danforth 35H                                  | 1,290  |
| 9-57-048 | Danforth 90H                                  | 2,310  |
| 9-57-052 | Plough anchor CQR 60 lbs                      | 1,670  |
| 9-57-071 | Chain galvanized shortlink 1/2" (per m)       | 50     |
| 9-57-075 | Fenders 22 x 85 m (each)                      | 91     |
| 9-57-076 | Mooring line $\phi$ 20 mm (per m)             | 12     |
| 9-57-077 | Stainless anchor chain roller                 | 800    |
| 9-57-078 | Clamp for CQR anchor on stemhead              | 620    |

## Miscellaneous:

|          |   |        |
|----------|---|--------|
| 9-57-084 | Complete cockpit upholstery                 | 1,280  |
| 9-57-085 | Elkhide on steering wheel                   | 800    |
| 9-57-086 | Binocular box (Canpa)                       | 150    |
| 9-57-087 | Mosquito screens with Velcro fastenings     | 760    |
| 9-57-133 | Small sprayhood over entrance hatch         | 1,680  |
| 9-57-132 | Sprayhood for aft entrance                  | 1,500  |
| 9-57-134 | Large sprayhood over fwd end of bridgedeck  | 3,210  |
| 9-57-089 | Tarpaulin, large                            | 5,970  |
| 9-57-091 | Tarpaulin, small                            | 3,630  |
| 9-57-092 | Export cradle (steel)                       | 13,230 |
| 9-57-093 | Launching and rigging in Pietarsaari        | 23,840 |
| 9-57-088 | Table in cockpit                            | 2,100  |
| 9-57-100 | IOR rating certificate                      | 1,450  |
| 9-57-110 | Winch handles 8" lock-in                    | 150    |
| 9-57-111 | Winch handles 10" lock-in                   | 180    |
| 9-57-112 | Winch handles 10" double grip               | 270    |
| 9-57-113 | Winch handles 10" ratchet                   | 340    |
| 9-57-120 | Half model (one included in standard price) | 490    |
| 9-57-130 | Fold-up transom ladder (stainless)          | 2,940  |
| 9-57-105 | Compass deviation card                      | 500    |